



Houselights-System Main Hall

Backtruss: (LX3)

17m Eurotruss ST 50 (distributed load in kg/m = 58)
2 Motors Movecat D8+ 800kg

24 Par64 Spots CP61
2 ACL-Sets Par64
6 Moving-Lights Clay Paky Alpha-Spot HPE700
2 Martin Atomic Strobes

18 dimmable power outlets on Harting B connector or plugbox
12 fixed power outlets on plugbox
2 DMX outlets patchable

4 Moving-Lights Robe Robin DLX Spot available as floor-fixtures

Midtruss: (LX2)

17m Eurotruss ST50 (distributed load in kg/m = 50)
3 Motors Movecat D8+ 800kg

12 Par64 Spots CP61
4 Moving-Lights Clay Paky Alpha-Spot HPE700
2 Strobes Martin Atomic 3000

12 dimmable power outlets on Harting B connector or plugbox
6 fixed power outlets on plugbox
2 DMX outlets patchable

Fronttruss: (LX1)

17m Eurotruss ST 50 (distributed load in kg/m = 50)
3 Motors Movecat D8+ 800kg

8 Fresnel 2KW ADB F
2 Martin Atomic Strobes

12 dimmable power outlets on Harting B connector or plugbox
6 fixed power outlets on plugbox
2 DMX outlets patchable

Disco-Rigg: (LX4)

oval Truss-System 12m x 10m
hung fix, not movable

48 Par64 Spots CP62
4 Moving-Lights Robe Robin DLX Spot

4 dimmable power outlets spare on plugbox
3 fixed power outlets spare on plugbox
2 DMX outlets patchable



Desk & Dimmer-City: 1 GrandMA Full Size lighting console (Series 1) incl remotesystem
96 Dimmer channels MA DimCompact system each fused for 2,3KW
MA Net control system for lighting system and DMX signal flow
additional "guest" multicore 4 CH to dimmer city and each truss or stage outlet (free patch configuration)

Power Supply: additional power supplies for lighting on stage left:
2x32A CEE
2x63A CEE

additional outlets on stage left supply rack:

18 dimmable power outlets on Harting B connector or plugbox
6 fixed power outlets on Harting B connector or plugbox
followspot position on balcony with 32A CEE connection

Venue-Info: room dimensions: 20,5m x 32m
clearance: 8m from floor
truss level 6,3m from floor (5,3m from stage)
FOH distance: 25m (max) from backwall
stage: max 12m x 6,5m plus sidestage for monitoring at 1m level from floor

CAD-Service: Plots are available in **DWG, DXF** and **WYSIWYG**

Contact: Stefan Rottmann
Tel: +49 (0)231 314363
GSM: +49 (0)172 232 1338
Mail: srothmann@me.com

